

## Safety Data Sheet

## e2S Treated e-joist (Bifenthrin/Permethrin Glueline)

Date of Issue: October 2018

## 1. Identification of the Material and Supplier

#### 1.1 Product identifier **Product name** e-joist Wesbeam e-joist

#### 1.2 Uses and uses advised against

Synonym(s)

Use(s) Building Material • Construction • Timber

#### 1.3 Details of the supplier of the product

| Supplier name | Wesbeam Pty Ltd                                |  |
|---------------|--|--|
| Address       | 190 Pederick Rd, Neerabup, WA, 6031, AUSTRALIA |  |
| Telephone     | (08) 9306 0400                                 |  |
| Fax           | (08) 9306 0444                                 |  |
| Email         | safety@wesbeam.com                             |  |
| Website       | www.wesbeam.com                                |  |

#### 1.4 Emergency telephone number(s)

**Emergency** P: 08 9306 0430 M: 0439 919 461

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

#### 2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

## 3. Composition/Information on Ingredients

#### 3.1 Substances / Mixtures

| Ingredient                                     | CAS Number | EC Number | Content |
|--|------------|-----------|---------|
| Wood   | -          | -         | >85%    |
| Polymethyl Polyphenyl Isocyanate               | 9016-87-9  | -         | <4%     |
| Phenol Resorcinol Formaldehyde Resin           | -          | -         | <0.5%   |
| Permethrin                                     | 52645-53-1 | 258-067-9 | <0.2%   |
| Additive(s)                                    | -          | -         | <0.1%   |
| Ethylene Glycol                                | 107-21-1   | 203-473-3 | <0.1%   |
| Isopropyl Alcohol                              | 67-63-0    | 200-661-7 | <0.1%   |
| Paraformaldehyde                               | 30525-89-4 | 608-494-5 | <0.1%   |
| Organic Compounds                              | -          | -         | <0.03%  |
| Bifenthrin                                     | 82657-04-3 | 617-373-6 | <0.014% |
| Pigment(s)                                     | -          | -         | <0.01%  |
| Phenol, Polymer with Formaldehyde, Sodium Salt | 40798-65-0 | -         | <7%     |
| Inert Ingredient(s)                            | -          | -         | <2%     |
| Slack Wax (Petroleum) (Refined)                | 64742-61-6 | 265-165-5 | <0.8%   |

## 4. First Aid Measures

#### 4.1 Description of first aid measures

| First aid facilities | None allocated.  |
|----------------------|--|
| Ingestion            | For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (immediately). Due to product form and application, ingestion is considered unlikely. |
| Skin                 | Dust exposure. Gently flush affected areas with water. Seek medical attention if irritation develops.  |
| Inhalation           | If inhaled (dust during machining), remove from contaminated area. Apply artificial respiration if restricted breathing.   |
| Eye                  | Exposure is considered unlikely unless dust is generated. Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes.                        |

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire Fighting Measures

#### 5.1 Extinguishing media

Water spray or fog, for large quantities. Prevent contamination of drains and waterways.

#### 5.2 Special hazards arising from the substance or mixture

Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Finely divided dust may form explosive mixtures with air.

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

None allocated.

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, well-ventilated area.

#### 7.3 Specific end use(s)

No information provided.

## 8. Exposure Controls / Personal Protection

#### 8.1 Control parameters

| Exposure standards | Ingredient Reference                              | TWA       |     | STEL  |     |       |
|--------------------|---|-----------|-----|-------|-----|-------|
|                    |   |           | ppm | mg/m³ | ppm | mg/m³ |
|                    | Ethylene glycol (particulate)                     | SWA (AUS) |     | 10    |     |       |
|                    | Ethylene glycol (vapour)                          | SWA (AUS) | 20  | 52    | 40  | 104   |
|                    | Formaldehyde                                      | SWA (AUS) | 1   | 1.2   | 2   | 2.5   |
|                    | Isocyanates, all (as-NCO)                         | SWA (AUS) |     | 0.02  |     | 0.07  |
|                    | Isopropyl alcohol                                 | SWA (AUS) | 400 | 983   | 500 | 1230  |
|                    | Paraffin wax (fume)                               | SWA (AUS) |     | 2     |     |       |
|                    | Wood dust (certain hardwoods such as beech & oak) | SWA (AUS) |     | 1     |     |       |
|                    | Wood dust (soft wood)                             | SWA (AUS) |     | 5     |     | 10    |

| Biological limits | Ingredient                | Determinant         | Sampling Time                   | BEI     |
|-------------------|---------------------------|---------------------|---------------------------------|---------|
|                   | ISOPROPYL ALCOHOL         | Acetone in urine    | End of shift at end of workweek | 40 mg/L |
|                   | Reference: ACGIH Biologic | al Exposure Indices |                                 |         |

#### 8.2 Exposure controls

| <br>Avoid inhalation. Use in well ventilated areas. If sanding, drilling or cutting, use appropriate local extraction ventilation. Maintain dust / fume levels below the recommended exposure |
|---|
| <br>standard.   |

PPE



| standard.   | <u>'</u>  |
|-------------|---|
| Eye / Face  | Wear dust-proof goggles.  |
| Hands       | Wear leather or cotton gloves.  |
| Body        | Not required under normal conditions of use.  |
| Respiratory | If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator. |

## 9. Physical and Chemical Properties

| Appearance                | Solid Timber  |
|---------------------------|---------------|
| Odour                     | Odourless     |
| Flammability              | Combustible   |
| <u> </u>                  |               |
| Flash point               | Not Available |
| Boiling point             | Not Available |
| Melting point             | Not Available |
| Evaporation rate          | Not Available |
| рН                        | Not Available |
| Vapour density            | Not Available |
| Specific gravity          | Not Available |
| Solubility (water)        | Insoluble     |
| Vapour pressure           | Not Available |
| Upper explosion limit     | Not Available |
| Lower explosion limit     | Not Available |
| Partition coefficient     | Not Available |
| Autoignition temperature  | Not Available |
| Decomposition temperature | Not Available |
| Viscosity                 | Not Available |
| Explosive properties      | Not Available |
| Oxidising properties      | Not Available |
| Odour threshold           | Not Available |

## 10. Stability and Reactivity

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended storage.

#### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Compatible with most commonly used materials.

#### 10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

## 11. Toxicological Information

#### 11.1 Information on toxicological effects

| Acute toxicity                                 | Information available for the product:  This product is expected to be of low toxicity. Based on available data, the classification criteria are not met.  |                        |                                       |  |  |
|--|--|------------------------|---------------------------------------|--|--|
|  | Information available for the ingredient(s):   |                        |                                       |  |  |
| Ingredient                                     | Oral Toxicity (LD50)   | Dermal Toxicity (LD50) | Inhalation Toxicity (LC50)            |  |  |
| Polymethyl Polyphenyl Isocyanate               | > 2000 mg/kg (rat)   | > 9400 mg/kg (rabbit)  | 0.49 mg/L/4 hours (rat)               |  |  |
| Permethrin                                     | 383 mg/kg (rat)  | 1750 mg/kg (rat)       | 485 mg/m³ (rat)                       |  |  |
| Ethylene Glycol                                | 1670 mg/kg (cat); >  | 9530 mg/kg (rabbit)    | 10876 mg/kg (rat)                     |  |  |
| Isopropyl Alcohol                              | 3600 mg/kg (mouse)   | 12,800 mg/kg (rabbit)  | 16000 ppm/8 hours                     |  |  |
| Paraformaldehyde                               | 800 mg/kg (rat)  |                        | > 170 mg/m <sup>3</sup> /1 hour (rat) |  |  |
| Bifenthrin                                     | 54.5 mg/kg (rat)   | 2 g/kg (rabbit)        | 4.9 mg/l/4 hours (rat)                |  |  |
| Phenol, Polymer with Formaldehyde, Sodium Salt | 42 mg/kg-rat   | 669 mg/kg - rat        | 74 mg/m³                              |  |  |
| Skin   | Not classified as a skin irritant. Prolonged or repeated exposure to dust may result in mechanical irritation and dermatitis.  |                        |                                       |  |  |
| Eye  | Not classified as an eye irritant. Product may only present a hazard if wood is cut or sanded with dust generation, which may result in lacrimation and irritation.  |                        |                                       |  |  |
| Sensitisation                                  | Not classified as causing skin or respiratory sensitisation.   |                        |                                       |  |  |
| Mutagenicity                                   | Not classified as a mutagen.   |                        |                                       |  |  |
| Carcinogenicity                                | Not classified as a carcinogen. However, repeated exposure to wood dust may result in nasal and paranasal sinus cancers (IARC Group 1). Adverse health effects are usually associated with long-term exposure to high dust levels. |                        |                                       |  |  |
| Reproductive                                   | Not classified as a reproductive toxin.  |                        |                                       |  |  |
| STOT - single exposure                         | Not classified as causing organ damage from single exposure.   |                        |                                       |  |  |
| STOT - repeated exposure                       | Not classified as causing organ damage from repeated exposure.   |                        |                                       |  |  |
| Aspiration                                     | Not classified as causing aspiration.  |                        |                                       |  |  |

## 12. Ecological Information

#### 12.1 Toxicity

No information provided.

#### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

No information provided.

## 13. Disposal Considerations

# 13.1 Waste treatment methods Waste disposal Dispose to an approved landfill or waste processing site. Contact the manufacturer/supplier for additional information (if required). Legislation Dispose in accordance with relevant local legislation.

## 14. Transport Information

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

|                             | LAND TRANSPORT<br>(ADG) | SEA TRANSPORT<br>(IMDG / IMO) | AIR TRANSPORT<br>(IATA / ICAO) |
|-----------------------------|-------------------------|-------------------------------|--------------------------------|
| 14.1 UN Number              | None Allocated          | None Allocated                | None Allocated                 |
| 14.2 Proper Shipping Name   | None Allocated          | None Allocated                | None Allocated                 |
| 14.3 Transport hazard class | None Allocated          | None Allocated                | None Allocated                 |
| 14.4 Packing Group          | None Allocated          | None Allocated                | None Allocated                 |

#### 14.5 Environmental hazards

No information provided

**14.6 Special precautions for user Hazchem code** None Allocated

## 15. Regulatory Information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| Poison schedule      | A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). |
|----------------------|---|
| Classifications      | Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.                                      |
|                      | The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].                       |
| Hazard codes         | None allocated.   |
| Risk phrases         | None allocated.   |
| Safety phrases       | None allocated.   |
| Inventory listing(s) | AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.   |

## 16. Other Information

| Additional information | Personal Protective Equipment Guidelines:  The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.   |
|------------------------|--|
|                        | Health Effects from Exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate. |

#### **Abbreviations ACGIH** American Conference of Governmental Industrial Hygienists CAS# Chemical Abstract Service number – used to uniquely identify chemical compounds CNS Central Nervous System EC No. EC No - European Community Number **EMS** Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) GHS Globally Harmonized System **GTEPG** Group Text Emergency Procedure Guide **IARC** International Agency for Research on Cancer LC50 Lethal Concentration, 50% / Median Lethal Concentration LD50 Lethal Dose, 50% / Median Lethal Dose mg/m<sup>3</sup> Milligrams per Cubic Metre OEL Occupational Exposure Limit Ha Relates to hydrogen ion concentration using a scale of 0 (highly acidic) to 14 (highly alkaline). PPE Personal Protective Equipment ppm Parts Per Million STEL Short-Term Exposure Limit STOT-RE Specific Target Organ Toxicity (repeated exposure) STOT-SE Specific Target Organ Toxicity (single exposure) SUSMP Standard for the Uniform Scheduling of Medicines and Poisons **SWA** Safe Work Australia TLV Threshold Limit Value **TWA** Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of Wesbeam Pty Ltd the manufacturer of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, Wesbeam Pty Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave. West Perth Western Australia 6005 Phone: +61 8 9322 1711

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au



© Wesbeam Ptv Limited ABN 89 004 268 017 WESB0497 February 2021

#### **WESTERN AUSTRALIA**

190 Pederick Road Neerabup | WA | 6031 **T** 08 9306 0400 F 08 9306 0444

#### QUEENSLAND

3 Bult Drive Brendale | QLD | 4500 **T** 07 3385 3900 F 07 3385 3911 

#### SOUTH AUSTRALIA

200 Cavan Road Dry Creek | SA | 5094 **T** 08 8214 8500 E sales.sa@wesbeam.com

#### **VICTORIA**

Rear | 35 Greens Road Dandenong South | VIC | 3175 St Marys | NSW | 2760 **T** 03 8782 9500 E sales.vic@wesbeam.com

#### **NEW SOUTH WALES**

8-24 Dunheved Circuit **T** 02 8856 8400 E sales.nsw@wesbeam.com

#### **TECH HOTLINE**

T 1300 356 460